

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	11	bearing and induct \$4 same heat and quench\$4 same mold same press\$4 and heat same capacity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/09 17:59
L3	240	148/559	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/09 18:32
L4	12	148/559 and pressing same pressure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/09/09 18:32
S1	0	"10574779"	USPAT	OR	OFF	2008/04/17 13:06
S2	1	"10/574779"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/17 13:06
S3	18	(kikuo near maeda). in.	USPAT	OR	OFF	2008/07/03 09:27
S4	271	(kikuo near maeda). in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 09:27
S5	34	S4 and bearing near ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 09:27

S6	2	S5 and quench\$4 same mold same press\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 09:33
S7	33	bearing and induct \$4 same heat and quench\$4 same mold same press\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 09:36
S8	8	thin same component and induct\$4 same heat and quench\$4 same mold same press\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 12:20
S10	177	mold\$4 same press \$4 same thin same quench\$4 same heat	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:25
S11	0	S10 and pressing near presure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:26
S12	3	S10 and presure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:27
S13	1603	mold\$4 same pressing near pressure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:28
S14	8	mold\$4 same pressing near pressure same heat and quench\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:29

S15	35	mold\$4 same pressing near pressure same plate same metal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:34
S16	2	JP-2003285138\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:43
S17	53	"3870665"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 13:48
S18	4	"6682227"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 14:07
S19	3	"6093268"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 14:12
S20	2	"6248287"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 14:13
S21	3	"6149860"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 14:14
S22	158	148/559	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 16:13

S23	8	S22 and pressing same pressure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 16:14
S24	271	(kikuo near maeda). in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 16:17
S25	34	S24 and bearing near ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 16:17
S26	12	S25 and pressure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/03 16:17
S27	1	mold\$4 same pressing same quench\$4 same pressure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 14:48
S28	2	mold\$4 same pressing and quench \$4 same pressure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 14:50
S29	0	mold\$4 same bearing same ring and quench\$4 same pressure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 14:51
S30	1	bearing same ring and quench\$4 same pressure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 14:51

S31	0	pressing near pressure and warping and mold and queching	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 14:53
S32	0	pressing near pressure and warping and mold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 14:54
S33	0	pressing near pressure and warping	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 14:54
S34	3	pressing same pressure and warping	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 14:54
S35	0	pressure and warping and mold and queching	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 14:55
S36	10	pressure and warping and mold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 14:55
S37	5027	pressure and warping and mold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 14:56
S38	0	pressing near pressure and warping and mold and queching	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 14:57

S39	66	pressing near pressure and warping and mold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 14:57
S40	2	pressing near pressure and warping and mold and bearing same ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 14:58
S41	7	pressure and warping and mold and bearing near ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 15:00
S42	10	heating same pressing same mold and bearing near ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 15:06
S43	24	"4555377"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/05/24 15:19
S44	264	heat\$3 same bear\$3 same ring and quenching same pressure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 11:10
S45	18	heat\$3 same bear\$3 same ring and quenching same pressure same mold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 11:10
S46	3	quench\$3 near press \$4 same mold and bearing near ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 11:24

S47	10	"5917107"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 11:28
S48	33	quench\$3 near press \$4 same mold and ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 11:37
S49	1	quench\$3 near press \$4 same mould and ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 12:10
S50	3	"6502486"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 12:12
S51	33	quench\$3 near press \$4 same molding and ring	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 12:14
S52	5	"5395232"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 12:25
S53	35	mold\$4 same press \$4 same force same thin same quench\$4 same heat	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 12:31
S54	615	mold\$4 same press \$4 same force same thin same cool\$4 same heat	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 12:54

S55	406	heat\$3 same bear\$3 same ring and cooling same pressure same mold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 12:55
S56	53	heat\$3 same bear\$3 same ring and cooling same pressure same pressing same mold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 12:55
S57	3	"6502486"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 13:03
S58	21	"4720199"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 13:04
S59	0	ep0593799\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 13:17
S60	0	ep-0593799\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 13:17
S61	0	ep200593799\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 13:17
S62	0	ep2000593799\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 13:18

S63	0	ep-2000593799\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 13:18
S64	0	ep0593799\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 13:18
S65	12	"6006569"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 13:18
S66	35	mold\$4 same pressing near pressure same plate same metal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 14:41
S67	6	mold\$4 same pressing near pressure same plate same metal and (quenching or cooling)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 14:49
S68	975	mold\$4 same press \$4 same thin same plate same (quench \$4 or cool\$4) same heat	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 14:53
S69	82	mold\$4 same press \$4 same thin same bearing same plate same (quench\$4 or cool\$4) same heat	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 14:53
S70	84	mold\$4 same press \$4 same thin same bearing same metal same (plate sheet) same (quench\$4 or cool\$4) same heat	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 15:12

S71	3	press\$4 near form\$3 and (quench\$3 or cool\$4) same (mold or mould) and needle near bearing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 15:19
S72	3	press\$4 near form\$3 and (quench\$3 or cool\$4) same (mold or mould) and needle near bearing and pressure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 15:21
S73	23	press\$4 near form\$3 and (quench\$3 or cool\$4) same (mold or mould) and bearing near ring and pressure	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 15:22
S74	1	JP07216456\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 15:59
S75	2	JP-07216456\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 15:59
S76	15	"5047198"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 17:22
S77	2	JP2005113186\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 17:38
S78	2	JP-2005113186\$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/07 17:39

S79	1633	steel same sheet same press\$3 same form\$3 and pressure same (cool\$3 or quench\$3) and mold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/08 13:21
S80	137	steel same sheet same press\$3 near form\$3 and pressure same (cool\$3 or quench\$3) and mold	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/08 13:22

9/ 9/ 2010 6:33:32 PM**C:\ Documents and Settings\ jyang\ My Documents\ EAST\ Workspaces\ 10574779-
Bearing-ring.wsp**